Restoration Priorities for the Parker, Ipswich and Essex River Watersheds

A primer on major ecological stressors affecting the region and opportunities to preserve, restore and monitor ecosystem health in the Great Marsh and its contributing watersheds.



February 2013

written by Ipswich River Watershed Association staff on behalf of the Parker-Ipswich-Essex Rivers Restoration Partnership (PIE-Rivers)

Summary

This report summarizes important opportunities to protect and restore the valuable aquatic resources of the PIE-Rivers region, which includes the combined watersheds and estuaries of the Parker, Ipswich and Essex Rivers in northeastern Massachusetts. Opportunities are presented in the form of specific **actions** that can be implemented by a range of partners. Actions were identified and prioritized by members of the PIE-Rivers Steering Committee and four Technical Sub-Committees, based on factors including ecological importance, time sensitivity, likelihood of success, and feasibility (fiscal, technical, and social). Individual actions cover a range of topics, from scientific monitoring to land and water management to physical habitat restoration, but all share the common goal of protecting and restoring our rivers and water resources over the long-term.

The report also provides context regarding regional restoration efforts. To this end we describe the importance of the region's aquatic resources, highlight some of the major ecological stressors threatening those resources, and provide background on the PIE-Rivers Partnership's approach to restoration.

The document provides a framework to facilitate the planning, coordination and tracking of restoration efforts. The PIE-Rivers Partnership intends to treat this as a "living document", using it to monitor accomplishments and updating information on threats, necessary actions and priorities as conditions require. We hope this document will be a valuable resource to a wide range of current and future partners working in the region including conservation organizations, municipalities, state and federal agencies, and private landowners.


Table of Contents

PIE-Rivers Region

The PIE-Rivers region refers to the combined watersheds and estuaries of the Parker, Ipswich and Essex Rivers in northeastern Massachusetts (Figure 1). This area encompasses all or parts of 28 towns. The Parker, Ipswich and Essex River Watersheds and Great Marsh offer some of the most outstanding ecological resources in Massachusetts. The region includes large areas of permanently protected land, including a national wildlife refuge, several state parks and forests, and other publicly and privately held conservation lands. The watersheds include extensive state-designated high quality natural resources and several coldwater fisheries, which are rare in eastern Massachusetts.

The Parker and Ipswich river basins make up the watershed of Plum Island Sound, the largest wetland-dominated

recreational soft-shell clam and striped landscapes. bass fisheries. Together with the Essex,



estuary in New England, supporting Figure 1. Map of the PIE-Rivers region showing major extremely productive commercial and streams and BioMap2 core habitat and critical natural

these rivers encompass the entire coastal watershed between the Merrimack River and Cape Ann. The coastal zone of the watersheds comprises much of the Great Marsh, the largest continuous salt marsh in New England.

The estuaries of the Great Marsh and their contributing watersheds also host a multitude of recreational and commercial activities including boating, sailing, angling, shellfishing, swimming, birding, kayaking and canoeing. The Parker River National Wildlife Refuge is a major ecological resource as well as an internationally known birding area. The entire project area is part of the Essex National Heritage Area, designated by Congress as a nationally important landscape.

These river basins are also the subject of an outstanding body of scientific research by the Marine Biological Laboratory at Woods Hole, the University of New Hampshire, the U.S. Geological Survey (USGS) and others.

Prioritized Actions

The PIE-Rivers Steering Committee and Technical Sub-Committees identified 50 actions that, if implemented would help protect and restore the region's aquatic resources. These actions have been organized into one of six "toolkits" (or types of action) based on the nature of the suggested effort. Below are the prioritized lists of actions for each toolkit identified by the PIE-Rivers committees along with more detailed explanations of each toolkit's three highest priority¹ actions for near-term implementation. The 16 highest-ranking actions regardless of toolkit are identified as "immediate priority" actions. The complete, detailed list of actions with descriptions begins on page 15.

Toolkit 1: Community Involvement (Ten actions, five of immediate priority)

These actions focus on education, outreach and partnership-building efforts that will increase restoration capacity.

- Action 1: Water Conservation Outreach Continue and broaden regional outreach campaign, including water conservation website, highlighting the need for water conservation and promoting household and municipal water conservation measures. These measures could include, but not be limited to, water banks, use restrictions, billing incentives, and low impact landscaping. Increase capacity for municipalities to incorporate "water wise" practices (Levin, 2006).
- Action 2: Expand PIE-Rivers Expand and reinforce the PIE-Rivers partnership, seeking to engage broader representation (especially from municipalities, conservation organizations and the public).
- Action 3: Citizen Stewardship Develop a network of local citizen stewardship groups or stream teams throughout the region to improve capacity to implement measures at the community level.

	Immediate	
Action Name (Action #)	Priority	Rank
Water Conservation Outreach (1)	Yes	1
Expand PIE-r-squared (2)	Yes	2
Citizen Stewardship (3)	Yes	3
Water Quality Outreach (4)	Yes	4
Promote Low Impact Development (5)	Yes	4
Local Flow Awareness (6)		6
Promote Restoration (7)		6
Identify Target Audiences for Expanded Outreach (8)		8
Link Ecosystem and Economics (9)		9
Support Solutions for Regional/Global Issues (10)		10

Table 1. Prioritized actions for Community Involvement toolkit.

¹ Relative priority rankings are given for actions within each toolkit. These rankings are provided to help guide planning and should not be interpreted as a measure of absolute importance. See page 15 for more details on action rank.

<u>Toolkit 2: Restoration Science and Prioritization (Eleven actions, four of immediate</u> <u>priority)</u>

Includes research and survey work to ensure that restoration approaches and prioritization of projects are based on science.

- Action 11: Prioritize Conservation Land² Identify lands of high conservation value with respect to their influence on the PIE-Rivers environmental goals (enough water, clean water and health ecosystems) in the region. Areas of focus should include:
 - 1) existing floodplains and groundwater recharge areas that can attenuate extreme flows,
 - 2) land that affects the quantity and quality of current and future drinking water sources,
 - 3) headwaters and small streams,
 - 4) critical habitats such as wetlands, shorelands, and migration corridors.
- Action 12: Prioritize Aquatic Barriers³ Identify and prioritize barriers including physical (dams, culverts, etc.) and "soft" barriers (temperature, DO, chemical, behavioral) that may be limiting critical aquatic organism migration. For physical barriers, include analysis of risk of infrastructure failure and impacts on flood risk (upstream and downstream) in prioritization where feasible and applicable.
- Action 13: Identify Factors Limiting Aquatic Species⁴ Identify critical factors limiting abundance and community structure of important biota (including shellfish, fluvial fish (brook trout, etc), diadromous fish) and identify restoration methods to improve conditions in the project area.

	Immediate	
Action Name (Action #)	Priority	Rank
Prioritize Conservation Land (11)	Yes	1
Prioritize Aquatic Barriers (12)	Yes	2
Identify Factors Limiting Aquatic Species (13)	Yes	3
Identify Water Quality Problems (14)	Yes	4
Identify Stormwater Priorities (15)		5
Prioritize Degraded Habitats (16)		6
Assess Climate Change Vulnerability (17)		7
Research Water Conservation Economic Drivers (18)		8
Develop Bird Conservation Strategy (19)		9
Assess Estuarine Habitat Limitation (20)		10
Research Stormwater Capture and Storage (21)		11

Table 2. Prioritized actions for Restoration Science and Prioritization toolkit.

² Provides information needed to implement Action 39, "Regional Land Protection and Conservation Plan"

³ Provides information needed to implement Action 44, "Remove Migration and Flow Barriers"

⁴ Provides information needed to implement Action 45, "Implement Additional Aquatic Species Restoration Measures"

Toolkit 3: Monitoring and Technical Support (Nine actions, one of immediate priority)

Includes monitoring of ecological conditions and restoration progress. Also includes technical tools and support for municipalities and other entities to implement critical restoration measures.

- Action 22: Provide MS4 Support Provide technical support to help municipalities comply with new Municipal Separate Storm Sewer Systems (MS4) permit requirements.
- Action 23: Monitor Aquatic Species Survey populations and communities of ecologically and economically important biota in the region to identify areas of concern and monitor trends. This could include:
 - 1) native diadromous fish including river herring,
 - 2) bivalves (especially soft-shelled clams),
 - 3) fluvial fish species including Eastern brook trout,
 - 4) saltmarsh and breeding birds
- Action 24: Develop River Health Index Develop a "River Health Index" or report card to help the public understand the health of our waters.

Table 3. Prioritized actions for Monitoring and Technical Support toolkit.

	Immediate	
Action Name (Action #)	Priority	Rank
Provide MS4 Support (22)	Yes	1
Monitor Aquatic Species (23)		2
Develop River Health Index (24)		3
Identify Ecological Restoration Targets (25)		4
Monitor Invasive Species (26)		5
Provide Stewardship Tools (27)		6
Monitor River Flow (28)		6
Address Estuarine Pollution Sources (29)		8
Provide Mapping Technical Support (30)		8

Toolkit 4: Integrated Water Management (Eight actions, three of immediate priority)

Actions focused on integrated water management, including drinking water, stormwater and wastewater issues. Includes systemic and policy initiatives to improve water management locally and at the state level.

- Action 31: Incentivize Water Conservation Reduce lawn watering and other nonessential water demand through a combined approach including use restrictions and billing incentives.
- Action 32: Create Model Municipal Integrated Water Resources Management (IWRM) Program - Create model municipal-level program that integrates water supply, wastewater, stormwater, habitat and land use management. Seek to implement and test program in one or more communities and use lessons learned to scale to a region-wide implementation of integrated water resource management (IRWM) principles.
- Action 33: Upgrade Stormwater Systems Upgrade stormwater systems that are identified as high priority.

|--|

	Immediate	
Action Name (Action #)	Priority	Rank
Incentivize Water Conservation (31)	Yes	1
Create Model Municipal Integrated Water Resources Management Program (32)	Yes	2
Upgrade Stormwater Systems (33)	Yes	3
Limit Water Withdrawals from Sensitive Areas (34)		4
Develop Water Conservation Program (35)		5
Identify Water Protection Gaps (36)		5
Implement Economic Water Management Tools (37)		5
Water Resources Legislation (38)		8

Toolkit 5: Land Protection and Management (Five actions, one of immediate priority)

Actions dealing with land acquisition, zoning, land management, and land use issues that influence aquatic systems.

- Action 39: Regional Land Protection and Conservation Plan⁵ Develop and implement land conservation plan for northeastern Massachusetts' coastal watersheds. An emphasis should be placed on protecting lands of high conservation value with respect to their influence on water quantity, water quality and ecosystem integrity (including rare species) in the region. Set goal to protect half the lands identified as Conservation Focus areas by 2025.
- Action 40: Improve Land Use Bylaws Develop and implement bylaws and incentive systems at the municipal level to encourage landowners to make land use decisions that improve water quality and quantity conditions (including Low Impact Development (LID), zero-runoff ordinances, etc.). Special attention should be given to implementing measures on existing developments.
- Action 41: Improve Conservation Land Stewardship Support land stewardship and land management actions for conservation lands and key areas that maximize quality habitat and watershed services.

	Immediate	
Action Name (Action #)	Priority	Rank
Regional Land Protection and Conservation Plan (39)	Yes	1
Improve Land Use Bylaws (40)		2
Improve Conservation Land Stewardship (41)		3
Protect Drinking Water Sources (42)		4
Control Invasive Species (43)		5

Table 5. Prioritized actions for the Land Protection and Management toolkit.

⁵ Dependent on Action 11, "Prioritize Conservation Land"

Toolkit 6: Habitat Restoration (Seven actions, two of immediate priority)

Physical habitat and ecosystem restoration projects

- Action 44: Remove Migration and Flow Barriers⁶ Improve aquatic habitat connectivity and restore natural flow regime through various methods including dam removal, culvert replacement/upgrade, and fishways as necessary with focus on barriers identified as high priority for both habitat and flooding impacts. Changes in flow capacity for structures such as culverts and bridges should take into account position in the watershed and potential effects on upstream and downstream structures.
- Action 45: Implement Additional Aquatic Species Restoration Measures⁷ -Implement aquatic species restoration measures identified in Action 13 that are not already underway.
- Action 46: Implement Demonstration Restoration Projects Implement at least 3 restoration projects in the next 5 years that can be used as demonstration projects (local proof of concept) – publicize all stages of the projects and seek a high level of community involvement at all stages (implementation, monitoring, etc).

	Immediate	
Action Name (Action #)	Priority	Rank
Remove Migration and Flow Barriers (44)	Yes	1
Implement Additional Aquatic Species Restoration Measures (45)	Yes	2
Implement Demonstration Restoration Projects (46)		3
Restore Vegetative Buffers and Floodplains (47)		4
Restore Salt Marshes (48)		5
Restore Priority Degraded Habitat (49)		6
Restore Estuarine Habitat Conditions (50)		7

Table 6. Prioritized actions for the Habitat Restoration toolkit.

 ⁶ Dependent on Action 12, "Prioritize Aquatic Barriers"
 ⁷ Dependent on Action 13, "Identify Factors Limiting Aquatic Species"

Ecological Threats

Unfortunately the PIE-Rivers region is under significant stresses that threaten to undermine the long-term ecological integrity of the system. Substantial portions of the watersheds suffer from severe water losses that dry up the rivers causing fish kills and other environmental damage. Development in the watersheds increases polluted runoff and has fragmented some important wildlife habitats and natural areas. We are already experiencing some of the predicted effects of global climate change, including more intense storms, hot and sometimes dry summers, coastal erosion, and rising sea level.

The migratory fisheries (including rainbow smelt, river herring, and American shad) are experiencing significant population declines and native freshwater fish populations are severely impacted. The Massachusetts Natural Heritage and Endangered Species Program has documented vulnerable and rare plant communities, as well as rare plant and animal species, in the project area.

The major ecological threats currently influencing the region include:

<u>Low Flow</u>

Rivers are naturally dynamic, or constantly changing, environments and river creatures can tolerate a wide range of flow conditions; however, extreme low-flow and no-flow conditions can cause considerable harm. Severe, frequent low-flow events stress fish and aquatic communities in the PIE-Rivers region, especially in the Parker and Ipswich Rivers. While a number of issues contribute to the frequency and severity of low-flow events, groundwater withdrawal for



rigure 2. ipswich River during drought conditions in 2003.

municipal and private use is a major driving factor. The most severe impacts are from summer groundwater withdrawals, which capture water that the rivers need to maintain flow. Withdrawals from reservoirs can also be damaging under some circumstances. The withdrawal impacts are often exacerbated by large water transfers out of the watershed or sub-basin, either for use in surrounding communities or as wastewater; this can represent a substantial net loss of water to the river system and the estuary.

A large amount of water is also lost through groundwater seeping directly into sewer systems and flowing out of the basin without ever being used. Additionally, factors such as increased <u>impervious</u> <u>surfaces</u> and the development of groundwater recharge areas (see Development Impacts) further exacerbate the problem.

Water demand peaks during hot summer months as large numbers of people water lawns and fill swimming pools. This coincides with a period of naturally low flow, and increased water withdrawals cause the rivers to fall below safe levels. The upper Ipswich River would be pumped dry on a nearly annual basis prior to the Town of Reading's 2006 decision to discontinue using

its municipal wells near the river. This decision, along with a number of water-saving measures employed by Reading and other towns, has improved conditions on the Ipswich River, but flow levels still regularly drop below ecological thresholds identified by the USGS (Armstrong et al., 2001) and further improvements are needed. Tributaries such as Martins Brook, Lubbers Brook, Norris Brook, Emerson Brook, Idlewild Brook and Mile Brook continue to be pumped dry or heavily impacted. The upper Parker River is also significantly affected, and the Mill and Egypt-Rowley River sub-basins are severely impacted by water withdrawals (Gomez and Sullivan, 2003; EOEA, 2005).

Consequences of Low Flow

Low flows reduce available river habitat by shrinking the overall water volume in the channel and dewatering important areas includina riffles and channel margins (nearest the riverbanks). Channel habitat can become physically disconnected from critical spawning, rearing, and feeding habitats in side channels and wetlands that border on the river. In extreme cases, the channel itself can stop flowing and be reduced to a series of isolated pools.

The smaller, slower moving volume of water in the river can also greatly influence water temperature and water quality. Reduced volume tends to result in more extreme water temperatures, higher in the summer and lower during winter low-flow events (possibly resulting in the stream freezing

Effects of pumping wells




Figure 3. Schematic showing how water withdrawals from groundwater wells affect groundwater levels and river flow.

solid). High water temperature can kill organisms directly, and also decreases the amount of oxygen water will hold while simultaneously increasing the amount of oxygen fish and other organisms require for survival, resulting in lower dissolved oxygen. Temperature and dissolved oxygen conditions can further interact to degrade water quality by affecting how toxins and other chemicals behave.

As waters reach the estuary, lower river flow changes salinity, reduces sediment transport, and alters nutrient processes in the salt marshes. Saline water can encroach farther upstream, eliminating key spawning habitat and affecting water chemistry. These alterations can have a lasting impact on plant and animal communities that utilize the estuarine environment.

Migration Barriers

Diverse, well-connected habitat promotes healthy, resilient aquatic communities, by allowing fish and other wildlife to move to the best areas to meet particular needs in their life cycles (such as spawning and rearing) and providing refuges during extreme conditions. Reduced habitat

connectivity is a clear problem for migratory species, but barriers can also strongly affect populations of less mobile organisms by harming habitat conditions or blocking the movement of animals they rely on.

Structures such as dams, weirs and culverts can break the important connections between habitats by blocking or slowing upstream and downstream migrations. Channelization, diking and other changes to the river banks can limit natural connections to adjacent wetlands and floodplains. Restrictions to the flow of tide water (such as undersized culverts, tide gates) can substantially alter the duration and frequency of tidal flooding in coastal areas.

In addition to the physical blockage of movement described above, structures and other factors such as water temperature, water chemistry and dissolved oxygen can act as barriers to many organisms even when passage appears possible. This is often the result of behavioral responses to unnatural or inhospitable habitat conditions.




Figure 4. The Ipswich Mills Dam, the furthest downstream of the Ipswich River Dams, inhibits migration for a variety of fish species.

The rivers of the PIE-Rivers region are fairly low gradient systems and, in their natural conditions, generally lacked permanent barriers to migration (like waterfalls). The construction of numerous dams and river crossings (bridges and culverts) has greatly limited habitat access for many species. Additionally, connections to river-side (or riparian) wetlands have been reduced and salt marsh characteristics have been greatly altered (through practices such as mosquito ditching).

Consequences of Migration Barriers

Habitat fragmentation can substantially reduce a river system's capacity to support populations of many aquatic species. In the case of <u>diadromous</u> (or sea run) fish species, migration barriers can essentially remove entire populations from the system. Migration barriers are listed as a key factor in the region-wide decline of diadromous species including river herring and "salter" brook trout. Many freshwater "resident" species migrate within a watershed either to complete specific portions of their life cycles (like spawning) or for more general purposes (such as following food sources, seeking shelter). The populations of many freshwater species including white sucker, Eastern brook trout and fallfish are reduced in the PIE-Rivers region due, in part, to reduced habitat connectivity in the watersheds.

Upland Development and Land Use

While generally thought of and managed separately from streams and wetlands, a watershed's uplands in many ways define the character of a river system. The development of uplands within a watershed can affect a wide range of important factors in aquatic systems, both directly and indirectly. Additionally, land use practices on both developed and undeveloped uplands can cause ecosystem stress.



Figure 5. Example of landscape changes as a result of suburban development.

The low-flow and migration barrier stressors discussed above are clearly linked to development, as are numerous other stressors not individually listed. In many ways, development could be considered one of the primary stressors (or the ultimate causes of stress) with more specific issues such as low-flows, flooding, and reduced stream continuity representing symptoms caused by development. How waterways are affected by individual development projects varies widely based on factors such as geology, distance to channel, and development design, but some generalizations can be made.

Development can cause direct loss and fragmentation of both aquatic and upland habitat. These impacts tend to be particularly acute in situations where development is close to waterways, wetlands or active floodplains, but any development in the watershed can have serious consequences for the region's ecology.

A major issue with development is the increase in impervious surfaces within a watershed in the form of roofs, roads, parking lots, etc. Impervious surfaces impair groundwater recharge, as water tends to be

quickly shunted via surface flow (stormwater) to streams, rivers and, in some cases, sewer systems. This has the combined effect of making streams "flashy" (that is prone to fast, extreme flooding events after precipitation) and more prone to low flows between precipitation events as groundwater aquifers are replenished at a slower rate. Since stormwater washes over impervious surfaces and doesn't percolate through the ground it often exhibits more extreme temperatures and carries higher concentrations of pollutants to rivers and streams.

Land use practices on already developed properties, agricultural lands, and other actively managed landscapes can have serious impacts on water quality. Excess nutrients, especially nitrogen and phosphorus from fertilizers, can cause <u>eutrophication</u> of the rivers and the estuaries. Similarly, certain pesticides, petroleum products and other chemicals can make their way to waterways if not properly handled on uplands. Land use decisions can also lead to the introduction and establishment of populations of invasive species that can serve as sources for the spread of these species to nearby areas.

Consequences of Development

In general, development within a watershed and intensive (or poorly managed) land use practices often leads to reductions in native aquatic communities through a combination of factors. A 2011 study by the USGS and MassWildlife found that for every one percent increase in imperviousness, there is a 3.7% decrease in the abundance of river (fluvial) fish (Armstrong et al., 2011). Careful planning and strict adherence to best management practices for development projects and land management can substantially limit many impacts. Even the best development methods employed on previously undeveloped parcels will result in a net negative impact (such as increased impervious surfaces or decreased infiltration). With this in mind, it is important to protect key land from development, and look to opportunities to improve conditions through retrofitting and during redevelopment of properties in order to improve overall development impacts in a watershed.

Disjointed Water Management

Watersheds are complex systems and are best managed with an approach that considers the interconnectedness of watershed resources. Human activities including water withdrawals and the management of stormwater and wastewater can cause substantial transfers of water within, between, and out of watersheds. These and other water movements must be considered together, on a watershed scale, in the context of the natural water cycle for the combined needs of area residents and ecological communities to be sustainably met. This concept of Integrated Watershed Management should be the goal going forward; otherwise communities are likely to find themselves without reliable, clean supplies of water to support drinking, agriculture, industry, recreation, and wildlife.

Currently, jurisdiction is highly fragmented and water management does not resemble this vision of cohesive, pragmatic process. Municipal governments actively manage water in a variety of ways (such as water withdrawals, stormwater, wastewater, land use restrictions) and in many cases, consider these issues separately. Even where municipalities take a more integrated approach, their control is limited by the fact that most watersheds (including those in the PIE-Rivers region) span many communities.

The framework of State and Federal regulation and oversight of water management issues is complex and disjointed with a host of agencies involved, each of which has unique authorities and operates under greatly throughout the region. different mandates.



Figure 6. Incentive systems to encourage water conservation vary

Consequences of Disjointed Water Management

The sum total of these factors is a water management system that, as a whole, does not take a systematic, integrated approach to allocating, managing and using water resources. As a result, portions of the PIE-Rivers region have streams that are severely flow depleted, owing to a combination of issues including; over-allocation, out of basin transfers, stormwater management and insufficient efficiency measures. These issues affect availability of adequate water to support some of the important native ecological communities in the region. This also has implications for the long term supply of water for human needs in communities at draw water from the PIE-Rivers watersheds.

The Partnership

A number of groups have been working to address the threats facing the PIE-Rivers watersheds, with some significant success over the years. Until recently, these efforts have not been conducted as part of a region-wide strategy, but rather by individual organizations or groups with varying levels of inter-organizational and inter-agency communication. The PIE-Rivers partnership was formed to increase communication, coordination and collaboration between those involved in restoration, preservation and management of the watersheds.

Our individual organizations' work includes protecting land and wildlife, promoting low-impact development to reduce development impacts, advocating better water management regionally and statewide, helping communities save water to help address low-flow problems, removing dams and other river obstructions, educating the public about the values these rivers provide and the threats they face, organizing recreational programs, and conducting research and monitoring. Several organizations are working to help the region's communities become better stewards of our water resources.

We have made significant progress, especially in addressing the Ipswich River's low-flow problems that led it to be ranked the third most endangered river in the nation in 2003. We recognize that it is now time to look at the big picture of how to restore these rivers to the healthiest condition that we can realistically achieve. This means looking at a wider range of issues that are part of a comprehensive restoration program.

PIE-Rivers mission

To protect and restore the valuable aquatic resources of the Great Marsh region between the Merrimack River and Cape Ann with a focus on the area's major contributing watersheds, the Parker, Ipswich and Essex Rivers.

<u>Approach</u>

PIE-Rivers works to achieve its mission by focusing on efforts that seek to address the following broad environmental **goals**:

- **Enough Fresh Water**: Restore the natural flow regime to the extent technically feasible, so that our rivers have enough water to sustainably support both human and ecological needs. This also includes consideration of the watersheds' capacities to attenuate peak flow events.
- **Clean Water**: Ensure that the water in the Parker, Ipswich and Essex watersheds and the Great Marsh estuary meets clean drinking water standards (where applicable) and supports aquatic life and other uses.
- Healthy Ecosystems: Restore and protect physical habitat and biological communities that maintain ecosystem functions, resilience and native biodiversity throughout the PIE-Rivers region.

Each PIE-Rivers partner brings to the table a unique set of interests, abilities and expertise, allowing the partnership to leverage this diverse skill set to achieve its mission. Additionally, the federal, state and municipal partners each have their own jurisdictions and mandates within which they are able to work. The PIE-Rivers restoration approach is not to prescribe to individual partners what they should do, specifically. Rather, the goal is to provide the communication forum and tools to allow partners to work together better and understand how their ongoing or planned efforts fit in with the rest of the work in the region, and to function more effectively and strategically as a team than we could individually.

The Partnership scope includes building the river community, highlighting what is so special about the rivers and watersheds, addressing impacts on the region's water resources, and preparing for future changes so that our rivers and the region's ecological communities can be as healthy and resilient as possible.

<u>Partners</u>

The PIE-Rivers partnership is open to representatives of municipalities (any municipality that has land within the region or sources water from the watersheds), state and federal agencies, academic institutions, non-profits (land trusts, conservation organizations) and interested citizens. We hope that the list of active partners will continue to expand in the coming years.

The following is a list of partners that have participated in the partnership to date:

Non-Governmental Organizations Essex County Greenbelt Association Eight Towns and the Great Marsh MassAudubon The Trustees of Reservations Trout Unlimited Nor'East Chapter Parker River Clean Water Association Ipswich River Watershed Association

<u>State and Federal Government</u> U.S. Fish and Wildlife Service – Parker River National Wildlife Refuge MA Office of Coastal Zone Management (CZM) MA Department of Fish and Game (DFG) MA Division of Ecological Restoration (DER) MA Division of Marine Fisheries (DMF) MA Department of Conservation and Recreation (DCR)

<u>Municipalities</u> Town of Ipswich Town of Boxford Town of North Andover Town of Topsfield

Funding Support

This partnership is made possible thanks to funding from US Smokeless Tobacco Cy Pres Award, Jessie B. Cox Charitable Trust, Cabot Family Charitable Trust, EBSCO Publishing, Analog Devices,

Final Draft

the EnTrust Fund, Stevens Foundation, New England Biolabs Foundation and the Sheehan Family Foundation. The partnership's work also relies on the generous contributions of staff time and energy by each of the active partner organizations.

Restoration Framework⁸

The PIE-Rivers Steering Committee set out to identify a set of recommended **actions** that, if implemented, should improve ecological conditions and associated ecosystem services within the region. The group used the following framework to guide the process of developing the final list of actions presented in this document.

First, we developed set of six primary **objectives** to pursue relative to the three PIE-Rivers Partnership goals described on page 12. These six objectives were:

- 1. **Natural Streamflow:** Promote more natural streamflow conditions to better support human and environmental water needs.
- 2. **Water Quality:** Promote efforts to protect and enhance surface and groundwater quality for the benefit of people and the environment.
- 3. **Ecosystem Restoration:** Promote efforts to protect and restore ecosystem function through habitat restoration, species protection and other available measures.
- 4. **Community Engagement:** Increase community involvement in and support for taking care of, restoring and protecting our rivers, watersheds and the Great Marsh.
- 5. **Responsible Water Management:** Ensure that decisions and actions affecting the PIE-Rivers region watersheds support the Partnership's goals.
- 6. Land Management and Protection: Ensure that development and land use practices support efforts to preserve and restore critical ecosystem services throughout the PIE-Rivers region.

The Steering Committee identified lists of more specific **sub-objectives** within each of the six primary objectives for this plan. Four Technical Sub-Committees (Water Resources, Living Resources and Habitat Restoration, Watershed Stewardship, Land Use and Habitat Protection) were formed to facilitate the process of developing actions. This allowed partners to meet in smaller groups and focus on developing actions within their individual areas of expertise. Each Sub-committee was tasked with addressing one or more of the objectives. A complete list of objectives, sub-objectives, and responsible Sub-Committees can be found in Appendix 1 (p. 30).

A total of 92 draft actions were identified during this initial process. Steering Committee members were all given the opportunity to prioritize the draft actions based on their impression of the action's relative importance, time sensitivity, and feasibility. The prioritized draft actions were consolidated into the 50 prioritized actions outlined in this report to eliminate overlap and redundancy.

⁸ The structure of this process, including the Sub-committees and primary objectives were loosely based on the process used to develop the Piscataqua Region 2010 Comprehensive Management Plan (PREP et al., 2010).

Actions

The following is a complete list of the 50 actions identified through the process outlined above. These actions have been organized into one of six "toolkits" (or types of action) based on the nature of the suggested effort. Toolkits are groupings based on the <u>nature</u> of the proposed action rather than the specific ecological threats, goals and objectives they address. As a result, individual toolkits contain actions that address a wide variety of issues. Additionally, since this list of actions was consolidated from the original draft list of 92 actions, many actions address more than one objective.

Within each toolkit, proposed actions are ranked in order of relative priority as identified by feedback from the Steering Committee, with lower rank numbers representing higher relative priority. These rankings reflect a number of factors including ecological importance, time sensitivity, feasibility and organizational interests. Therefore, actual priorities may vary considerably depending on varying interests, responsibilities and project opportunities across the range of PIE-Rivers partner organizations. Therefore, these rankings should not be interpreted as absolute measure of the importance of a particular action, but rather as a guide to be considered within the context of your own organization's mission and goals.

The six toolkits are:

- **Community Involvement:** These actions focus on education, outreach and partnershipbuilding efforts that will increase restoration capacity.
- **Restoration Science and Prioritization:** Includes research and survey work to ensure that restoration approaches and prioritization of projects are based on science.
- **Monitoring and Technical Support:** Includes monitoring of ecological conditions and restoration progress. Also includes technical tools and support for municipalities and other entities to implement critical restoration measures.
- **Integrated Water Management:** Actions focused on integrated water management, including drinking water, stormwater and wastewater issues. Includes systemic and policy initiatives to improve water management locally and at the state level.
- Land Protection and Management: Actions dealing with land acquisition, zoning, land management, and land use issues that influence aquatic systems.
- Habitat Restoration: Physical habitat and ecosystem restoration projects

Toolkit 1: Community Involvement

Action 1: Water Conservation Outreach

Toolkit: Community Involvement

Rank: 1 *Immediate Priority*

Continue and broaden regional outreach campaign, including water conservation website, highlighting the need for water conservation and promoting household and municipal water conservation measures. These measures could include, but not be limited to, water banks, use restrictions, billing incentives, and low impact landscaping. Increase capacity for municipalities to incorporate "water wise" practices (Levin, 2006).

Action 2: Expand PIE-Rivers Toolkit: Community Involvement Rank: 2 ***Immediate Priority*** Expand and reinforce the PIE-Rivers partnership, seeking to engage broader representation (especially from municipalities, conservation organizations and the public) Objectives: 3, 4 Sub-objectives: 3.6, 4.2 -----Action 3: Citizen Stewardship Toolkit: Community Involvement Rank: 3 *Immediate Priority* Develop a network of local citizen stewardship groups or stream teams throughout the region to improve capacity to implement measures at the community level. Objectives: 4 Sub-objectives: 4.2 s: 4 Sub-objectives -----Action 4: Water Quality Outreach Toolkit: Community Involvement Rank: 4 (t) *Immediate Priority* Increase outreach efforts to improve public understanding of the negative water quality effects of nutrients and other pollutants. Utilize public outreach campaigns (such as Greenscapes) to highlight how individual behaviors can impact drinking water guality and ecosystem health and encourage practices that reduce or eliminate contamination. Objectives: 2 Sub-objectives: 2.1, 2.2, 2.3 _____ Action 5: Promote Low Impact Development Toolkit: Community Involvement Rank: 4 (t) ***Immediate Priority*** Promote the implementation of Low Impact Development (LID) techniques to reduced development impacts on factors including water use, groundwater recharge and stormwater. Objectives: 1, 4 l, 4 S Sub-objectives: 1.2, 1.3, 4.2 _____

Action 6: Local Flow Awareness

Toolkit: Community Involvement

Rank: 6 (t)

Empower local leaders to consider the flow impacts of water-related decisions. Instill the approach of seeking to (1) avoid impacts where possible, (2) minimize impacts that cannot be avoided, and (3) mitigate those unavoidable impacts.

Objectives: 1 Sub-objectives: 1.4

Action 7: Promote Restoration

Toolkit: Community Involvement

Rank: 6 (t)

Conduct outreach campaign, including public presentations, web content, etc. highlighting the importance of restoration efforts

Objectives: 3	Sub-objectives: 3.6

Action 8: Identify Target Audiences for Expanded Outreach Toolkit: Community Involvement

Rank: 8

Assess current levels of community interest and involvement in watershed issues to identify groups that would benefit from increased outreach efforts. Develop and implement outreach strategies targeting these groups to build support and active participation in conservation and restoration initiatives.

Objectives: 4 Sub-objectives: 4.1

Action 9: Link Ecosystem and Economics

Toolkit: Community Involvement

Rank: 9

Promote economic valuation of ecosystem services and functions in water management and publicize the mutual benefits of saving water and saving energy

Objectives: 1, 5	Sub-objectives: 1.3, 5.3

Action 10: Support Solutions for Regional/Global Issues Toolkit: Community Involvement

Rank: 10

Provide support for local measures that seek to address factors contributing to the larger-scale stressors of climate change and sea level rise (for instance, measures to reduce greenhouse gas emissions). Engage community in discussions of opportunities to adapt to some of the unavoidable consequences of sea level rise, climate change and other externally-driven issues.

Objectives: 1 Sub-objectives: 1.3

Toolkit 2: Restoration Science and Prioritization

Action 11: Prioritize Conservation Land

Toolkit: Restoration Science and Prioritization

Rank: 1

Immediate Priority

Identify lands of high conservation value with respect to their influence on the PIE-Rivers environmental goals (enough water, clean water and health ecosystems) in the region. Areas of focus should include:

- (1) existing floodplains and groundwater recharge areas that can attenuate extreme flows,
- (2) land that affects the quantity and quality of current and future drinking water sources,
- (3) headwaters and small streams,

(4) critical habitats such as wetlands, shorelands, and migration corridors.

*Note: This action provides information necessary to implement Action 39, "Regional Land Protection and Conservation Plan"

Objectives: 2, 6 Sub-objectives: 2.1, 6.2, 6.3

Action 12: Prioritize Aquatic Barriers

Toolkit: Restoration Science and Prioritization

Rank: 2 ***Immediate Priority***

Identify and prioritize barriers including physical (dams, culverts, etc.) and "soft" barriers (temperature, DO, chemical, behavioral) that may be limiting critical aquatic organism migration. For physical barriers, include analysis of risk of infrastructure failure and impacts on flood risk (upstream and downstream) in prioritization where feasible and applicable.

*Note: This action provides information necessary to implement Action 44, "Remove Migration and Flow Barriers"

Objectives: 1, 3 Sub-objectives: 1.3, 3.1

Action 13: Identify Factors Limiting Aquatic Species

Toolkit: Restoration Science and Prioritization

Rank: 3

Immediate Priority

Identify critical factors limiting abundance and community structure of important biota (including shellfish, fluvial fish (brook trout, etc), diadromous fish) and identify restoration methods to improve conditions in the project area.

*Note: This action provides information necessary to implement Action 45, "Implement Additional Aquatic Species Restoration"

Objectives: 3 Sub-objectives: 3.2, 3.4

Action 14: Identify Water Quality Problems

Toolkit: Restoration Science and Prioritization

Rank: 4 ***Immediate Priority***

Expand water quality assessments to unmonitored areas (DEP Unassessed areas) and identify areas where water quality threatens important aquatic ecosystems using existing information and new research as necessary. Consider ecological and public health effects of trace chemicals such as pharmaceuticals that end up in surface and groundwater systems. Develop a list and proposed timeline to address high priority "Hot Spots" for degraded water quality in both the freshwater and estuarine zone.

Objectives: 2 Sub-objectives: 2.1, 2.2, 2.3, 2.4

Action 15: Identify Stormwater Priorities

Toolkit: Restoration Science and Prioritization

Rank: 5

Identify, monitor and prioritize areas where stormwater is degrading water quality and aquatic habitat conditions.

*Note: This action provides information that will aid implementation of Action 33, "Upgrade Stormwater Systems"

Objectives: 2 Sub-objectives: 2.2

Action 16: Prioritize Degraded Habitats

Toolkit: Restoration Science and Prioritization

Rank: 6

Identify (and prioritize for restoration and/or mitigation) degraded habitats including freshwater wetlands, floodplains, shorelands and uplands with a special focus on sites where existing development is a particular threat to water resources.

*Note: This action provides information necessary to implement Action 49, "Restore Priority Degraded Habitat"

Objectives: 3, 6	Sub-objectives: 3.2, 6.1, 6.2

Action 17: Assess Climate Change Vulnerability

Toolkit: Restoration Science and Prioritization

Rank: 7

Identify vulnerabilities of upland, shoreline and aquatic habitats to anticipated impacts of climate change and sea level rise. Propose appropriate actions to mitigate or adapt to impacts.

Objective	s: 3	Sub-objectives: 3.2	
Action 1	8: Research Water Cor Drivers	nservation Economic	Toolkit: Restoration Science and Prioritization
Rai	nk: 8		
Conduct r	research on economic o	drivers of water use and	conservation
 *Note: This action would help inform the following actions: Action 9, "Link Ecosystem and Economics" Action 37, "Implement Economic Water Management Tools" 			

Objectives: 5 Sub-objectives: 5.3

Action 19: Develop Bird Conservation Strategy	
---	--

Toolkit: Restoration Science and Prioritization

Rank: 9

Identify strategies to counteract any concerning decreases in bird diversity and population stability that can be enacted on a regional level

Sub-objectives: 3.5 Objectives: 3 ------Action 20: Assess Estuarine Habitat Limitation Toolkit: Restoration Science and Prioritization Rank: 10 Inventory eelgrass beds and other important estuarine habitats, identify factors limiting their distribution, and propose restoration measures to increase distribution and resilience of these habitats. *Note: This action provides information necessary to implement Action 50, "Restore Estuarine Habitat Conditions" Objectives: 3 Sub-objectives: 3.2 _____ Action 21: Research Stormwater Capture and Storage Toolkit: Restoration Science and Prioritization Rank: 11 Research options to capture and store stormwater runoff by natural or engineered means Objectives: 1 Sub-objectives: 1.3 -**Toolkit 3: Monitoring and Technical Support** Toolkit: Monitoring and Technical Action 22: Provide MS4 Support Support ***Immediate Priority*** Rank: 1

Provide technical support to help municipalities comply with new Municipal Separate Storm Sewer Systems (MS4) permit requirements

Objectives: 2 Sub-objectives: 2.2

Action 23: Monitor Aquatic Species

Rank: 2

Survey populations and communities of ecologically and economically important biota in the region to identify areas of concern and monitor trends. This could include: (1) native diadromous fish including river herring, (2) bivalves (especially soft-shelled clams), (3) fluvial fish species including Eastern brook trout, (4) saltmarsh and breeding birds

Objectives: 3 Sub-objectives: 3.2, 3.4, 3.5

Action 24: Develop River Health Index

Toolkit: Monitoring and Technical Support

Rank: 3

Develop a "River Health Index" or report card to help the public understand the health of our waters

Objectives: 2 Sub-objectives: 2.4

Action 25: Identify Ecological Restoration Targets Toolkit: Monitoring and Technical

Toolkit: Monitoring and Technical Support

Rank: 4

Develop science-based ecological targets that integrate water quality, water quantity and structural habitat requirements. Implement monitoring programs to gauge current conditions and restoration progress with respect to these targets.

Objectives: 3, 5 Sub-objectives: 5.2

Action 26: Monitor Invasive Species

Toolkit: Monitoring and Technical Support

Rank: 5

Coordinate volunteer-based mapping and monitoring of invasive species distribution in the region to identify problem areas.

*Note: This action would inform implementation of Action 43, "Control Invasive Species"

Objectives: 3	Sub-objectives: 3.3

Action 27: Provide Stewardship Tools

Toolkit: Monitoring and Technical Support

Rank: 6 (t)

Develop and assemble tools and online resources to help communities, businesses and residents make informed decisions related to water use and watershed stewardship. This should include distilling science-based information about the PIE-Rivers region, guides to preferred best management practices (like the Water-Wise Communities Handbook), etc.

Objectives: 5 Sub-objectives: 5.1 ------Action 28: Monitor River Flow Toolkit: Monitoring and Technical Support Rank: 6 (t) Monitor river flows at USGS gauges and other sites in the watersheds and examine for trends related to precipitation, water use, and land use Objectives: 1 Sub-objectives: 1.2 ------Action 29: Address Estuarine Pollution Sources Toolkit: Monitoring and Technical Support Rank: 8 (t) Work with coastal communities to identify and address high priority pollution sources for the estuarine environment Objectives: 2 Sub-objectives: 2.3 _____ Action 30: Provide Mapping Technical Support Toolkit: Monitoring and Technical Support Rank: 8 (t) Assist communities in using existing planning and monitoring tools such as MassCAPS, GIS, BioMap2

Objectives: 5 Sub-objectives: 5.1

Toolkit 4: Integrated Water Management

Action 31: Incentivize Water Conservations

Toolkit: Integrated Water Management

Rank: 1

Immediate Priority

Reduce lawn watering and other non-essential water demand through a combined approach including use restrictions and billing incentives

Objectives: 1 Sub-objectives: 1.1, 1.2

Action 32: Create Model Municipal Integrated Water Resources Management Program

Toolkit: Integrated Water Management

Rank: 2 *Immediate Priority*

Create model municipal-level program that integrates water supply, wastewater, stormwater, habitat and land use management. Seek to implement and test program in one or more communities and use lessons learned to scale to a region-wide implementation of integrated water resource management (IRWM) principles.

Objectives: 5, 6	Sub-objectives: 5.2, 6.1

Action 33: Upgrade Stormwater Systems

Toolkit: Integrated Water Management

Rank: 3 *Immediate Priority*

Upgrade stormwater systems that are identified as high priority

*Note: This action relies on priorities identified in Action 15, "Identify Stormwater Priorities"

Objectives: 2	Sub-objectives: 2.2

Action 34: Limit Withdrawals from Sensitive Areas

Toolkit: Integrated Water Management

Rank: 4

Optimize water supply operations to minimize environmental damage by discontinuing or limiting withdrawals from sensitive sub-basins and streamside wells. This might include adopting flow-triggered measures to limit and prioritize withdrawals and developing alternative water sources to replace or relieve pressure from the most damaging sources (from particular sub-basins and streamside wells).

Objectives: 1	Sub-objectives: 1.1, 1.2

Action 35: Develop Water Conservation Program		Toolkit: Integrated Water Management
Rank: 5 (t)		Management
Develop a regional water conse	ervation program staffed with a s	stewardship coordinator
Objectives: 1, 4	Sub-objectives: 1.4, 4.2	
Action 36: Identify Water Prot Rank: 5 (t)	tection Gaps	Toolkit: Integrated Water Management
Identify the strengths and gaps		ter) protection in each community (SWAP) reports and local zoning
Objectives: 2, 5		
Action 37: Implement Economic Water Management Tools Rank: 5 (t) Toolkit: Integrated Water Management		
• •	er, water banks, stormwater utili	ction with economic drivers (e.g. ties)
*Note: This action would Conservation Economic Driv	•	rom Action 18, "Research Water
Objectives: 1, 5		
Action 38: Water Resources L Rank: 8		Toolkit: Integrated Water Management
Advocate for passage of legis environmentally relevant strea	amflow standards, enables easie	ater Resources Act) that requires er removal of unnecessary dams s fees for water conservation and
Objectives, 1	Sub objectives, 1.1	

Objectives: 1	Sub-objectives: 1.1

Toolkit 5: Land Protection and Management

Action 39: Regional Land Protection and Conservation Plan Toolkit: Land Protection and Management

Rank: 1

Immediate Priority

Develop and implement land conservation plan for northeastern Massachusetts' coastal watersheds. An emphasis should be placed on protecting lands of high conservation value with respect to their influence on water quantity, water quality and ecosystem integrity (including rare species) in the region. Set goal to protect half the lands identified as Conservation Focus areas by 2025.

*Note: This action depends on priorities developed in Action 11, "Prioritize Conservation Land"

Objectives: 1, 2, 6 Sub-objectives: 1.3, 2.1, 6.2, 6.3

Action 40: Improve Land Use Bylaws

Toolkit: Land Protection and Management

Rank: 2

Develop and implement bylaws and incentive systems at the municipal level to encourage landowners to make land use decisions that improve water quality and quantity conditions (including Low Impact Development (LID), zero-runoff ordinances, etc.). Special attention should be given to implementing measures on existing developments.

Objectives: 1, 2, 6 Sub-objectives: 1.3, 2.2, 6.1

Action 41: Improve Conservation Land Stewardship

Toolkit: Land Protection and Management

Rank: 3

Support land stewardship and land management actions for conservation lands and key areas that maximize quality habitat and watershed services.

Objectives: 6 Sub-objectives: 6.3

Action 42: Protect Drinking Water Sources

Toolkit: Land Protection and Management

Rank: 4

Protect the quality and quantity of current and future drinking water supplies through land use education, incentives and regulation.

Objectives: 6 Sub-objectives: 6.3

Action 43: Control Invasive Species

Toolkit: Land Protection and Management

Rank: 5

Develop protocols for volunteer-based control of invasive species. Implement invasive species control measures on problem areas seeking to use volunteers as appropriate

*Note: This action would be informed by Action 26 "Monitor Invasive Species"

Objectives: 3, 6 Sub-objectives: 3.3, 6.3

Toolkit 6: Habitat Restoration

Action 44: Remove Migration and Flow Barriers

Toolkit: Habitat Restoration

Rank: 1 ***Immediate Priority***

Improve aquatic habitat connectivity and restore natural flow regime through various methods including dam removal, culvert replacement/upgrade, and fishways as necessary with focus on barriers identified as high priority for both habitat and flooding impacts. Changes in flow capacity for structures such as culverts and bridges should take into account position in the watershed and potential effects on upstream and downstream structures.

*Note: This action relies on priorities identified in Action 12, "Prioritize Aquatic Barriers"

Objectives: 1, 3 Sub-objectives: 1.3, 3.1

Action 45: Implement Additional Aquatic Species Restoration Toolkit: Habitat Restoration Measures

Rank: 2 ***Immediate Priority***

Implement aquatic species restoration measures identified in Action 13 that are not already underway

*Note: This action relies on the results of Action 13, "Identify Factors Limiting Aquatic Species"

Objectives: 3	Sub-objectives: 3.2, 3.4

Action 46: Implement Demonstration Restoration Projects Toolkit: Habitat Restoration

Rank: 3

Implement at least 3 restoration projects in the next 5 years that can be used as demonstration projects (local proof of concept) - publicize all stages of the projects and seek a high level of community involvement at all stages (implementation, monitoring, etc)

3 Sub-objectives: 3.6 Objectives: 3

Action 47: Restore Vegetative Buffers and Floodplains Toolkit: Habitat Restoration

Rank: 4

Restore natural vegetative buffers along tidal shorelands, riparian zones of all stream orders, and wetlands. Where feasible, seek to "undevelop" and reconnect floodplains where flood storage has been lost and consider removal and relocation of structures and/or infrastructure that are highly flood susceptible or worsen flooding

Objectives: 1, 3 Sub-objectives: 1.3, 3.2

Action 48: Restore Salt Marshes

Rank: 5

Restore or enhance impaired salt marshes through approaches including removal of tidal restrictions and invasive species management. Consider the influence of sea-level rise on long-term marsh viability in prioritization of projects. Where possible, incorporate opportunities to mitigate future marsh losses to sea-level rise by providing space for marshes to migrate up slope.

Objectives: 3 Sub-objectives: 3.2, 3.3, 3.4

Action 49: Restore Priority Degraded Habitat

Toolkit: Habitat Restoration

Rank: 6

Restore high priority degraded habitats identified in Action 16 using appropriate measures.

*Note: This action relies on priorities identified in Action 16, "Prioritize Degraded Habitats"

Objectives: 3, 6 Sub-objectives: 3.2, 6.1, 6.2

Action 50: Restore Estuarine Habitat Conditions

Toolkit: Habitat Restoration

Rank: 7

Restore eelgrass beds and other important estuarine habitats through the implementation of restoration measures identified in Action 20.

*Note: This action relies on the results of Action 20, "Assess Estuarine Habitat Limitation"

Objectives: 3 Sub-objectives 3.2

Glossary

Diadromous – Fish species that migrate between freshwater and seawater to complete some portion of their life cycle.

Eutrophication - The process by which a body of water acquires a high concentration of nutrients, especially phosphates and nitrates. These typically promote excessive growth of algae. As the algae die and decompose, high levels of organic matter and the decomposing organisms deplete the water of available oxygen, causing the death of other organisms, such as fish. Eutrophication is a natural, slow-aging process for a water body, but human activity greatly speeds up the process. - Art, 1993. <u>http://toxics.usgs.gov/definitions/eutrophication.html</u>

Estuary - An estuary is a partially enclosed body of water along the coast where freshwater from rivers and streams meets and mixes with salt water from the ocean. Estuaries and the lands surrounding them are places of transition from land to sea and freshwater to salt water. Although influenced by the tides, they are protected from the full force of ocean waves, winds, and storms by such land forms as barrier islands or peninsulas. (from http://water.epa.gov/)

Impervious Surface - A barrier through which rainfall cannot pass or be absorbed, such as roads, rooftops, paved parking lots, sidewalks, etc.

Integrate Water Resources Management (IWRM) - Water withdrawals, wastewater, and stormwater are the three major human impacts that significantly affect a watershed's water cycle, impacting water quantity and quality. Integrated Water Resources Management looks at water supply, wastewater, and stormwater together in order to "balance the water budget" and maintain water quality.

Low-Impact Development (LID) - An approach to environmentally-friendly land use. LID includes landscaping and site design techniques to maintain the natural drainage of a site. LID techniques capture water on site, filter it through vegetation, and let it soak into the ground where it can replenish the local water table rather than being lost as surface runoff. An important LID principle includes the idea that stormwater is not merely a waste product to be disposed of, but is a resource.

Watershed - An area of land that drains, or "sheds" water, into a river, stream, pond, lake, wetland, or estuary. A watershed includes both surface water and groundwater.

Literature Cited

- Armstrong, D.S., Richards, T.A., and Parker, G.W., 2001. Assessment of Habitat, Fish Communities, and Streamflow Requirements for Habitat Protection, Ipswich River, Massachusetts, 1998-99: U.S. Geological Survey Water-Resources Investigations Report 01-4161
- Armstrong, D.S., Richards, T.A., and Levin, S.B., 2011. Factors influencing riverine fish assemblages in Massachusetts: U.S. Geological Survey Scientific-Investigations Report 2011– 5193, 58p. <u>http://pubs.usgs.gov/sir/2011/5193</u>

Final Draft

- The Massachusetts Executive Office of Environmental Affairs (EOEA)., 2005. Parker River Watershed 5-Year Watershed Action Plan (2006-2010). <u>http://www.mass.gov/eea/docs/eea/water/wap-parker-river.pdf</u>
- Gomez and Sullivan Engineers, P.C., 2003. Parker River Low Flow Study: Final Report. <u>http://www.mass.gov/eea/docs/eea/water/parker-lowflow.pdf</u>
- Levin, E., 2006. Water Wise Communities: A Handbook for Municipal Managers in the Ipswich River Watershed. Ipswich River Watershed Association, Ipswich, MA. <u>http://ipswichriver.org/wp-content/uploads/2010/03/water_wise_communities_full.pdf</u>
- Piscataqua Region Estuaries Partnership (PREP), D.B. Truslow Associates, Mettee Planning Consultants, 2010. Piscataqua Region Comprehensive Conservation and Management Plan, Piscataqua Region Estuaries Partnership: Durham, NH. <u>http://www.prep.unh.edu/plan.pdf</u>

Appendix 1: Objectives

The following is a complete list of the six **objectives** and associated **sub-objectives** that the PIE-Rivers partners identified and used to guide development of the recommended **actions**. The four technical sub-committees (Water Resources, Living Resources and Habitat Restoration, Watershed Stewardship, Land Use and Habitat Protection) were each assigned one or more objectives to develop draft actions for. A total of 92 draft actions were identified during this initial process. Steering Committee members were all given the opportunity to prioritize the draft actions based on their impression of the action's relative importance, time sensitivity, and feasibility. The prioritized draft actions were consolidated into the 50 prioritized actions outlined in this report to eliminate overlap and redundancy. The following is a complete list of the goals and objectives the committees used to develop the actions.

Objective 1: Natural Streamflow

Promote more natural streamflow conditions to better support human and environmental water needs.

Sub-Committee: Water Resources

Addressed by Actions: 1, 5-6, 9-10, 12, 21, 28, 31, 34-35, 37-40, 44, 47

- **Sub-objective 1.1.** Meet human water needs in the most environmentally protective way that we can and manage water supplies sustainably to maintain ecological functions
 - a) Promote efficient water use and regional water conservation
 - b) Reduce the negative ecological effects of water supply withdrawals
- **Sub-objective 1.2.** Maintain streamflows and groundwater levels that support fish and other river life, recreation, navigation, and the ecological functions of coastal streams and rivers.
 - a) Restore and protect the amount of freshwater in the rivers and entering the Great Marsh estuary
 - b) Restore the natural seasonal variability of flows to the extent technically feasible

Sub-objective 1.3. Minimize the risks of extreme floods

- c) Retrofit existing development to reduce runoff and improve groundwater replenishment by implementing Low Impact Development (LID) principles
- b) Improve capacity of existing infrastructure to cope with extreme precipitation events
- c) Preserve natural landscapes, vegetation and drainage patterns (including floodplains and groundwater recharge areas)
- d) Encourage regional support and participation in initiatives that relate to climate and flooding

Sub-objective 1.4. Seek opportunities to mitigate existing impacts to river flow.

Objective 2: Water Quality

Promote efforts to protect and enhance surface and groundwater quality for the benefit of people and the environment.

Sub-Committee: Water Resources

Addressed by Actions: 4, 11, 14-15, 22, 24, 29, 33, 36, 39-40

Sub-objective 2.1. Help communities protect drinking water quality

- **Sub-objective 2.2.** Protect and restore water quality to support aquatic ecosystems, recreation and sustainable consumptive uses.
 - a) Identify and address stormwater impacts on water quality
 - b) Influence the implementation of development and land use practices that minimize water quality impacts.
- Sub-objective 2.3. Reduce pollution in the estuaries to meet water quality standards to allow shellfish harvesting, minimize coastal beach closures and support healthy estuarine ecosystems.

Sub-objective 2.4. Monitor and document water quality, pollution loads and the fate of pollutants.

Objective 3: Ecosystem Restoration

Promote efforts to protect and restore ecosystem function through habitat restoration, species protection and other available measures.

Sub-Committee: Living Resources and Habitat Restoration

Addressed by Actions: 2, 7, 12-13, 16-17, 19-20, 23, 25-26, 43-50

Sub-objective 3.1. Restore habitat connectivity to support robust native aquatic communities including diadromous and freshwater "resident" fishes.

Sub-objective 3.2. Protect and restore key habitat for ecologically and commercially valuable biota

Sub-objective 3.3. Monitor and control invasive species throughout the project area.

- Sub-objective 3.4. Protect and restore native fish and shellfish populations
- **Sub-objective 3.5.** Maintain a stable and diverse population of shorebirds and saltmarsh breeding birds in Great Marsh.

Sub-objective 3.6. Improve implementation capacity for restoration projects.

Objective 4: Community Engagement

Increase community involvement in and support for taking care of, restoring and protecting our rivers, watersheds and the Great Marsh

Sub-Committee: Watershed Stewardship

Addressed by Actions: 2, 3, 5, 8, 35

Sub-objective 4.1. Increase public awareness of the value of water and develop a regional conservation ethic that highly values our natural waters

Sub-objective 4.2. Build a stronger stewardship capacity.

Objective 5: Responsible Water Management

Ensure that decisions and actions affecting the PIE-Rivers region watersheds support the Partnership's goals.

Sub-Committee: Watershed Stewardship

Addressed by Actions: 1, 9, 18, 25, 27, 30, 32, 36-37

- Sub-objective 5.1. Provide tools and resources to help communities, businesses and residents be "water-wise"
- Sub-objective 5.2. Promote integrated water resource management
- Sub-objective 5.3. Use economic tools more effectively to manage water sustainably
- **Sub-objective 5.4.** Improve state and local capacity to develop and enforce measures that protect and restore aquatic habitats in focus area.

Objective 6: Land Management and Protection

Ensure that development and land use practices support efforts to preserve and restore critical ecosystem services throughout the PIE-Rivers region

Sub-Committee: Land Use and Habitat Protection

Addressed by Actions: 11, 16, 32, 39-43, 49

Sub-objective 6.1. Improve development patterns and practices to better protect water resources.

- **Sub-objective 6.2.** Restore and maintain ecosystem functions and services provided by wetlands, floodplains, and shorelands.
- **Sub-objective 6.3.** Protect key upland areas that sustain important plant and animal communities and/or provide watershed services to maintain aquatic habitats and water quality.